



You are going to love how quick and simple this pattern is. We'll do it in 2 parts. First, we'll make the pillowcase, then we'll make the pillow. I hope you enjoy the making.



## Materials needed:

- \*main fabric (A) - 1 fat quarter
- \*accent fabric (B) - 1 fat quarter
- \*white fabric and poly-fil for the pillow.

a fat quarter is a pre-cut piece that measures 18"x22".

## Cutting

Cut the following:

Fabric A, main piece: cut one piece that measures 20"x12"

Fabric B, accent piece: cut one piece that measures 20"x8"

## Final Size:

pillow - 11.5" x 9.5"

case - 14.5" x 9.5"



## Getting Started

1. Place your accent piece, B, on the ironing board, right side down.



2. Fold the piece in 1/2, lengthwise, wrong sides together. Press.
3. Place your main piece on the table, right side up.
4. Lay your recently folded accent piece on the main piece, along the long edge. Your raw edges should meet. The fold will be away from the edge. Pin the pieces together.




5. Sew the 2 pieces together by stitching 1/2" from the edge.
6. Press your seam up, toward the accent piece.
7. Topstitch along the seam, on the accent piece, 1/4" from the seam. This keeps the seam allowance up and add a little finish to the top.
8. Fold the pillowcase in 1/2, right sides together so that the short sides meet.
9. Sew the pillowcase closed by stitching along the side and the bottom using a 1/2" seam allowance.
10. Turn it right side out and push out your corners. Press it & You're done!



## Pillow

1. Cut 2 pieces of white fabric to measure 14"x10". I use white muslin but any white fabric would do. Lay the 2 pieces together, one on top of the other. If you're using a fabric with a print, make sure that the right sides are together.
2. Sew the 2 pieces together by stitching around the perimeter of the pieces, using a 1/2" seam allowance and leaving a 3" opening on one of the sides.
3. Clip the 4 corners of the pillow. This makes your corners nice and neat when turned.
4. Turn the pillow right side out by pulling through the opening.



5. Push your corners out nicely. You can use the eraser end of a pencil to push them without piercing through.
6. Press the opening so that the raw edges are folded in.
7. Stuff the pillow with poly-fil until it is the desired firmness.
8. Pin the opening closed. Make sure your raw edges are folded in. Place another row of pins about 1/2" to 1" from the pins holding the opening closed. This will make it easier for you to machine stitch the opening closed.
9. Sew the opening closed by stitching as close to the edge as possible making sure that you catch the top and the bottom with the needle. Well, that's it. Take out the pins and you're finished.

